Paper ID: 466

Feasibility study of various innovative wastewater treatment strategies in the context of Bangladesh

Nusrat Jahan Kameli[1]
Fayaz Sikder Jeon [2]
Mim Mashrur Ahmed[3]
[1]Department of Mechanical Engineering, RUET, Rajshahi 6204, BD
E-mail: nusrat.kameli0400@gmail.com

Abstract

As industrial discharges, agricultural runoff and city rubbish keep on contaminating aquatic bodies, effective wastewater treatment methods are critical. This paper investigates the impact of these contaminants on water quality, and new treatment methods suited to Bangladesh's specific environmental and financial needs. The authors have looked at different strategies, including filtration, membrane technologies, and hybrid systems that combine adsorption with additional treatments, to see if they are viable for local conditions and can remove dangerous pollutants. Exploring innovative adsorbent materials, such as advanced nanomaterials and bio-based alternatives, and assessing their performance, cost-effectiveness, and suitability for large deployment in Bangladesh receives special attention. Numerical results indicate that adsorption efficiency using activated carbon for heavy metals such as lead (Pb) and cadmium (Cd) can reach up to 99%, while for dyes, it ranges between 85-95%. Despite the potential of these technologies, issues such as monsoon-induced floods, a lack of technical skills, and high initial setup costs exist. The findings of this study provide a comprehensive framework for future research and practical application since they aim to identify the most likely methods for improving wastewater management and water quality in the area.
Keywords: Wastewater treatment techniques, Adsorption, Efficient adsorbents, Membrane separation, Sustainability

1. Introduction

Bangladesh is facing issues of clean water and sanitation. The country is dealing with waterborne infections and contamination caused by polluted water discharge in both urban and rural areas. Wastewater is frequently discharged untreated into rivers and subterranean aquifers. These issues arise from the combined effects of high population density, frequent flooding, and insufficient infrastructure. Centralized wastewater treatment systems are effective [1]. But these are costly and difficult to construct in rural locations with dispersed populations. A decentralized wastewater treatment (DWT) technique provides a cost-effective and environmentally friendly alternative. It is particularly in rural areas. The paper analyzes the current state of wastewater management in Bangladesh. It looks at existing technology, and proposes decentralized alternatives based on across the globe standardization [2].

2. Literature Review

DDecentralized wastewater treatment (DWT) has emerged as an environmentally friendly and cost-effective alternative. Both in rural and peri-urban areas. Countries including India, Brazil, and Vietnam have successfully implemented wastewater treatment systems such as the Up flow Anaerobic Sludge Blanket (UASB) to establish wetlands [3]. These systems treat wastewater close to its source. It lowers infrastructure needs and allows for water reuse in agriculture and biogas production. UASB systems constructed wetlands in India treat city wastewater effectively and boost agricultural production in water-scarce locations. In rural areas of Brazil, horizontal flow wetlands enhanced sanitation and reduced waterborne illnesses in low-income communities. In Bangladesh, most rural regions discharge untreated sewage into bodies of water. According to studies, stabilization ponds and vertical flow wetlands could help the country handle its ecological concerns. Also, during flooding [4]. Vertical flow wetlands implemented in Vietnam have proven highly effective in managing wastewater in flood-prone areas. It showcases their potential adaptability to Bangladesh's monsoon conditions.

While promising, decentralized systems confront obstacles such as high implementation costs, technical maintenance issues, and public opposition to using treated wastewater in agriculture. Recent technologies, such as vermi-filtration and anaerobic digesters, provide more efficient, resource-recovering systems. It can generate renewable energy like biogas. It makes them attractive for Bangladesh's energy-scarce regions [5].

Table 1. Sources of Water Pollution in Bangladesh - Point and Nonpoint [6]

Types of Pollutants	Point Sources	Non-Point Sources
Pathogens	Raw sewage, Urban solid trash	Agricultural discharge, human and animal waste
Heavy Metals	Medical waste, Industrial runoff	Smelting, Pesticide discharge
Sedimentation	Runoff from building sites	Agricultural waste
Radioactivity	Discharge from nuclear plants	Naturally occurring radioactivity

3. Research Gap and Objectives

Research on the effectiveness of decentralized wastewater treatment systems in Bangladesh is very limited. It is particularly in flood-prone and low-lying areas. There is a notable lack of feasibility studies evaluating how these advances might be tailored to Bangladesh's specific socioeconomic realities. There has been insufficient research regarding public acceptance and community engagement in the development and implementation of decentralized systems. Further research is needed to understand the institutional and legal structures required to facilitate large-scale adoption of such systems [7]. The primary goals of this study are to look at Bangladesh's present wastewater management techniques and evaluate emerging wastewater solutions from around the world. The paper's goal is to investigate the problems and opportunities associated with building decentralized systems and to provide solutions suitable for rural areas in Bangladesh.

4. Wastewater Sources in Bangladesh

In Bangladesh, wastewater is generated mostly from home, industrial, and agricultural drainage. Domestic wastewater is primarily generated by rural homes using pit latrines and septic tanks [8]. Agricultural runoff adds to pollution by bringing fertilizers and pesticides into water systems. Industrial effluent from textiles, tanneries, and chemical facilities contributes significantly to urban pollution [9].

Table 2. Estimated Wastewater Generation in Bangladesh [10]

Source	Estimated Volume (MLD)
Domestic Wastewater	4,874
Industrial Wastewater	453
Agricultural Runoff	200
Total	5,527

5. Practiced Wastewater Treatment in Bangladesh

5.1 Urban Wastewater Treatment

The Pagla Sewage Treatment Plant is Dhaka's sole large-scale centralized wastewater treatment facility presently in operation. Initially built with a treatment capacity of 120 million liters per day (MLD). It now performs significantly below its capability due to a number of critical concerns. Illegal connections, a lack of regular servicing, and old infrastructure all impair its efficiency [11]. The plant only serves about 30% of the population, leaving a significant portion of the city with informal or inadequate sewage management systems. As a result, untreated home and industrial wastewater is released directly into neighboring rivers, including the Buri Ganga. It creates widespread water contamination. This untreated effluent contains high amounts of biochemical oxygen demand (BOD), heavy metals, and pathogens, reducing water quality. Efforts to upgrade or expand the Pagla facility have been slowed by financial and logistical restrictions. Making comprehensive wastewater treatment in Dhaka is a persistent concern [12].

5.2 Rural Wastewater Management

Pit latrines and septic tanks are the main wastewater management systems in rural Bangladesh. About 60% of rural households use pit latrines, 20% utilize septic tanks, and 10% open defecate. These systems are widely utilized but poorly constructed and maintained. It causes groundwater contamination and untreated waste overflow during heavy rains. Pit latrines provide a severe public health risk of nitrate and faucal coliform pollution of drinking water [13]. Although awareness and sanitation programs have reduced open defecation, it still causes diarrhea and cholera in some regions. Monsoon floodwaters mix with untreated sewage, spreading illnesses and toxins throughout agricultural fields and residential areas. Annual floods render sanitary systems ineffective, worsening the problem. Government and non-governmental organization investments have improved rural sanitation, but sustainability and efficacy remain challenges [14]. Insufficient maintenance, community awareness, and technical skills in decentralized system design and management slow progress.

Table 3. Decentralized Sanitation Systems in Rural Bangladesh

System Type	Coverage (%)	Common Problems	Maintenance Level
Pit Latrines	60%	Groundwater contamination, overflow	Low
Septic Tanks	20%	Leakage, inadequate emptying	Medium
Open Defecation	10%	Widespread in remote areas	None

6. Innovative Technologies Around the World

Many nations have successfully utilized several distributed wastewater treatment (DWT) systems. In rural or peri-urban areas, where centralized treatment plants are not feasible [15]. These solutions are very helpful.

6.1 Constructed Wetlands

Designed wetlands replicate natural wetland processes. They create homes for wildlife, use little energy, and are inexpensive [16]. Countries including China, Sweden, and the United States have used these technologies to clean industrial and home wastewater.

6.2 Stabilization Ponds

Stabilization ponds, which are found throughout Mexico, Brazil, and India, use algae and bacteria to break down contaminants. These systems require vast agricultural areas [17]. But their low operating costs make them ideal for rural areas.




Fig. 1. Stabilization Ponds

6.3 Anaerobic Digestion

Anaerobic digestion is used in the Netherlands and Germany. It converts organic wastewater into biogas. It serves as an extra energy source. This system is effective [18]. But it requires skilled operators for maintenance.




Fig. 2. Anaerobic Digestion

6.4 Sequencing Batch Reactors (SBR)

SBRs treat wastewater in batches. It provides for greater flexibility. They are often used throughout Europe and North America. It could be adapted for small settlements in Bangladesh [19].




Fig. 3. SBR technology

Table 4. Overview of Wastewater Treatment Technologies in Selected Countries [20]

Country	Treatment Type
Jordan	Activated sludge, Biofiltration, Stabilization ponds
Turkey	Activated sludge, Trickling filter
India	UASB (Up flow Anaerobic Sludge Blanket), Anaerobic digestion
Bangladesh	Limited centralized treatment, reliance on septic tanks

7. Recommendations and Challenges

The recommended wastewater management strategies in Bangladesh include economical treatment alternatives, industrial wastewater oversight, flood-resistant designs [21]. It can be capacity enhancement, and the use of decentralized systems in rural areas. Constructed wetlands and stabilization ponds suitable for rural and semi-urban regions must be properly deployed according to population density and land availability. Community involvement via workshops and operator training is essential for ensuring proper maintenance and performance. The repurposing of treated wastewater in agriculture, especially in dry zones, is suggested as a strategy to diminish freshwater use with assistance from agricultural extension services [22]. Implementing comprehensive oversight of effluent treatment plants (ETPs), establishing transparent reporting systems, offering financial incentives are essential for promoting the use of sustainable technologies like anaerobic digestion. To mitigate recurrent outages during monsoon floods, it is essential to implement flood-resistant infrastructure equipped with improved treatment systems and real-time monitoring to maintain operational integrity [23]. Capacity enhancement via vocational training institutes is essential for equipping local experts with the necessary abilities to operate contemporary systems like anaerobic digesters and Sequencing Batch Reactors (SBRs). The advancement of decentralized systems in rural regions requires state financial assistance, foreign investment, public-private partnerships (PPPs), and awareness initiatives funded by non-governmental organizations (NGOs) to promote adoption [24]. Despite these extensive measures, obstacles such as monsoon-related disruptions, financial limitations, and insufficient technical expertise highlight the necessity of robust infrastructure planning. It demonstrates continuous financial support, and skill enhancement to guarantee the long-term effectiveness and sustainability of these actions [25].

8. Conclusion

Wastewater management in Bangladesh is difficult due to urbanization, ancient infrastructure, and inadequate treatment procedures. This paper emphasizes the potential of decentralized wastewater treatment technologies, such as built wetlands and stabilization ponds, as long-term, cost-effective solutions. It is especially in rural and semi-urban areas. These systems reduce freshwater demand by encouraging wastewater reuse. They also promote sustainable agriculture practices. The paper additionally points out the significance of implementing community education programs to increase knowledge of untreated wastewater and decentralized systems. Challenges such as regular monsoon flooding, a scarcity of skilled labor, and costly initial investment costs must be addressed. It can be through government assistance, international aid, and vocational training initiatives. Bangladesh can adopt

sustainable wastewater treatment systems, protect public health, and preserve its water resources for future generations. It will be possible if proper techniques and stakeholder participation are implemented.

9. References

[1] S. Dey and A. Islam, “A Review on Textile Wastewater Characterization in Bangladesh,” Resources and Environment, vol. 5, no. 1, pp. 15–44, 2015. [Online]. Available: https://doi.org/10.5923/j.re.20150501.03
[2] F. Li, Z. Guo, L. Mao, J. Feng, J. Huang, and H. Tao, “Impact of Textile Industries on Surface Water Contamination by Sb and Other Potential Toxic Elements: A Case Study in Taihu Lake Basin, China,” International Journal of Environmental Research and Public Health, vol. 20, no. 4, p. 3600, Jan. 2023. [Online]. Available: https://doi.org/10.3390/ijerph20043600
[3] A. Tyagi, “Exploring Top 10 Sewage Treatment Plant Technologies in India,” SusBio | Sewage Treatment Plant | Johkasou STP | Rapid Composter, Jul. 16, 2024. [Online]. Available: https://susbio.in/exploring-the-top-10-sewage-treatment-plant-technologies-in-india/. Accessed Oct. 10, 2024.
[4] J. Chauhan, "Sewage treatment Technologies: Techno-Economic Viability," J. Indian Water Work Assoc., vol. January-March, pp. 70–78, 2017.
[5] CPHEEO, Manual on Sewerage and Sewage Treatment Systems, Central Public Health and Environmental Engineering Organisation, 2013.
[6] R. W. Crites, E. J. Middlebrooks, and R. K. Bastian, Natural Wastewater Treatment Systems, 2nd ed., CRC Press, 2014.
[7] M. El-Sayed Mohamed Mahgoub, N. P. Van Der Steen, K. Abu-Zeid, and K. Vairavamoorthy, "Towards sustainability in urban water: A life cycle analysis of the urban water system of Alexandria City, Egypt," J. Clean Prod., vol. 18, pp. 1100–1106, 2010. [Online]. Available: https://doi.org/10.1016/j.jclepro.2010.02.009
[8] ENVIS, "Centre on Hygiene, Sanitation, Sewage Treatment Systems and Technology," 2019. [Online]. Available: http://www.sulabhenvis.nic.in/database/stst_wastewater_2090.aspx. Accessed Jan. 5, 2020.
[9] EPA, "Schedule VI of Environmental Protection Act, 1986," [Online]. Available: https://cpcb.nic.in/general-standards/. Accessed Jan. 31, 2022.
[10] K. M. Gani and A. A. Kazmi, "Contamination of emerging contaminants in Indian aquatic sources: First overview of the situation," J. Hazardous, Toxic, Radioact. Waste, vol. 21, no. 1, pp. 1–12, 2017. [Online]. Available: https://doi.org/10.1061/(ASCE)HZ.2153-5515.0000348
[11] R. P. G. Bowker, "Biological odor control by diffusion into activated sludge basins," Water Sci. Technol., vol. 41, pp. 127-132, 2000.
[12] J. E. Burgess, S. A. Parsons, and R. M. Stuetz, "Developments in odour control and waste gas treatment biotechnology: A review," Biotechnol. Adv., vol. 19, pp. 35-63, 2001.
[13] Caribbean Environment Programme, "Appropriate technology for sewage pollution control in the wider Caribbean Region," Tech. Rep. #40, 1998.
[14] C. R. Carter, S. F. Tyrrell, and P. Howsam, "Impact and sustainability of community water supply and sanitation programmes in developing countries," J. Chartered Inst. Water Environ. Manage., vol. 13, pp. 292-296, 1999.
[15] Office of the Registrar General, "Census of India: Analysis and Articles on Population and Literacy Rates," Ministry of Home Affairs, India, 2001.
[16] U.S. Environmental Protection Agency, Primer for Municipal Wastewater Treatment Systems, Washington, DC, EPA 832-R-04-001, 2004.
[17] S. Veenestra and G. Alaerts, "Technology selection for pollution control," in Workshop on Sustainable Municipal Wastewater Treatment Systems, A. Balkema, H. Aalbers, and E. Heijndermans, Eds., Leusdan, the Netherlands, 1996, pp. 17-40.
[18] T. Viraragharan and M. M. Dronamraju, "Utilization of coal ash," Water Pollut. Control J. Environ. Stud., vol. 40, pp. 79-85, 1992.
[19] E. B. Welch, Ecological Effects of Wastewater: Applied Limnology and Pollutant Effects, New York: Chapman and Hall, 1992.
[20] H. Yu, J. Tay, and F. Wilson, "A sustainable municipal wastewater treatment process for tropical and subtropical regions in developing countries," Water Sci. Technol., vol. 35, pp. 191-198, 1997.
[21] Z. Zhongxiang and Y. Qiu, "Water saving and wastewater reuse in China and recycle in China," Water Sci. Technol., vol. 23, pp. 2135-2140, 1991.
[22] Dhaka Water Supply and Sewerage Authority (DWASA), Annual Report on Sewage and Treatment Capacity, Dhaka, Bangladesh, 2023.
[23] Ministry of Local Government, Rural Development and Cooperatives, Sanitation and Sewage Treatment in Rural Areas, Dhaka, Bangladesh, 2023.
[24] Central Pollution Control Board (CPCB), Environmental Status Report 2023: Wastewater Management in Bangladesh, Dhaka, Bangladesh, 2023.
[25] UNICEF and WHO Joint Monitoring Program, Progress on Drinking Water, Sanitation and Hygiene: 2023 Update, New York, NY, USA, 2023.